









OFF-ROAD LINEUP



HERE'S TO A NEW EXPERIENCE OFF-ROAD

From the instant you turn on the ignition, you'll notice things are different on a Can-Am. Here, innovation and progress stop for nothing. Weather? Seasons? Difficult terrain? Tough jobs? If you can dream it, we've probably done it. Now it's your turn.



can-am.



SSV

- 6 Defender
- 12 Maverick X3
- 16 Commander

ONLY CAN-AM ACCESSORIES OFFER TRUE



FIT & COMPATIBILITY



QUALITY & RELIABILITY



STYLE & VISION

SEE OUR LINEUP
OF ACCESSORIES,
GENUINE PARTS,
AND RIDING GEAR
ONLINE OR AT A
CAN-AM DEALER.




ATV

- 20 Outlander 450/570
- 22 Outlander
- 26 DS Youth
- 28 Exclusive Can-Am Features



BUILT FOR THOSE WHO RIDE TO FEEL ALIVE 8 CONNECTED TO THE LAND.







Ready to do more? Here are just the highlights: Up to 82 horsepower and class-leading 69 lb-ft of torque, 2,500 lb (1,134 kg) towing and 1,500 lb (680 kg) payload. Redesigned suspension. Stronger frame. The revised Defender is ready to get it done—with capability to spare.

GET COMFORTABLE

When the work is done, rides shouldn't be a chore. That's why Defender is engineered for refinement, even if you're towing at capacity or fencing. From its improved insulation to thicker firewall, redesigned exhaust, and CVT cover, Defender lets its work speak for itself.

REDESIGNED DOUBLE A-ARM SUSPENSION

The spec sheet is one thing: reality is another. That's why the revised Defender rises to any challenge with up to 11 inches of suspension travel and 13" of ground clearance. You can credit the new 64" Arched Double A-Arm front and 64" Arched Trailing Tube Arm (TTA) rear suspension for better stability, a surefooted response, and improved strength.



MOST RIGID FRAME

Reinforced from its dual phase steel frame on up, the new Defender is 30% more rigid with less overall weight—despite adding several key reinforcements.

TRUE CAN-AM DNA

Starting at the front, check out the redesigned hood and grille for better cooling. Inside, a new 4.5" display or a 7.6" display with keypad ensure essential functions are always at hand.

MADE STRONG & READY TO TAKE YOUR BEST WORK ANYWHERE

INDUSTRY CLASS-LEADING

69

LB-FT OF TORQUE

• 30% LARGER RADIATOR

UP TO

82

HORSEPOWER

3 ROTAX ENGINES

- EFFICIENT HD5
- · CAPABLE HD8
- · CLASS-LEADING HD10

UP TO

13'

(33 CM) GROUND CLEARANCE

- · REDESIGNED SUSPENSION
- NEW ARCHED A-ARMS

30%

INCREASED FRAME RIGIDITY

- TOW UP TO 2,500 LB [1,134 KG]
- · LIGHTER DUAL PHASE STEEL



PEACE OF MIND COMES STANDARD

EXPLORE DEFENDER LINEUP

P8-P11

DEFENDER

DO IT ALL, AND THEN SOME.

The toughest, most capable Can-Am ever—exceptional work abilities and adaptable to any use at a price too good to pass up.

DEFENDER DPS

TAKE THE REIGNS.

Dynamic Power Steering (DPS) makes for a workhorse that drives well at every turn. Fill the adaptable storage, engage 4WD, and drive the best without stretching your wallet.







DEFENDER DPS



COLOR CHART



Iron Gray & Manta Green

Squadron Green

Yellow

DEFENDER MAX DPS

DEFEND	DER DPS
HD5	HD8
38 hp	50 hp
N/A	~
Visco-Lok QE	✓
✓	✓
~	,
25" Maxxis M923J Tires / 12" Cast Aluminum Wheels	27" Maxxis Bighorn 2.0† Tires / 14" Cast Aluminum Wheels
121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)
10.5" (26.7 cm)	11" (28 cm)
1,000 lb (454 kg) / 1,500 lb (680 kg)	✓
✓	✓
✓	~
✓	✓
Integrated front steel bumper, HMWPE central skid plate	Integrated front steel bumper, HMWPE central skid plate
✓	✓
	✓
	(Max only)

	KEY FEATURES	DEFENDER				
	Rotax V-Twin Engine Options	HD8				
	Horsepower	50 hp				
5	PRO-TORQ Transmission with Quick Response System (QRS), High Air Flow Ventilation and Electronic Drive Belt Protection	✓				
	Rear Differential with Turf Mode and Visco-Lok QE	Rear Differential with Turf Mode				
	Dynamic Power Steering (DPS)	N/A				
	Double A-arm front suspension / TTA rear suspension with sway bar	,				
Wheels	Tires / Wheels	25" Maxxis M923J Tires / 12" Steel Wheels				
s	Length / Width / Height	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)				
pacities	Ground Clearance	11" (28 cm)				
	1,000 lb (454 kg) Cargo Box Capacity/ 2,500 lb (1,134 kg) Towing Capacity	✓				

Integrated front steel bumper, HMWPE central skid plate

VERSA-PRO Bench Seat with Flip-Up Passenger Seats, Underside Hooks and Contoured Bench 2" (5 cm) Hitch Receiver and Adjustable Tilt Steering

10.6 Gal (40 L) Fuel Capacity

Specific to Package

Features

DEFENDER PRO (PACKAGE)

FOR WHEREVER YOU MAY ROAM.

You challenged us, and we delivered the toughest, most capable, and most clever Can-Am ever. It'll excel at everything you demand on it with additional accessory to make your ride more comfortable. The Defender pulls out the stops -and hauls them away.

DEFENDER XT

EQUIPPED TO GET IT DONE.

Full exterior protection and factory installed winch plus choice accessories from bumper to bumper—the Defender XT is ready when you are.

DEFENDER X mr

FORCE OF NATURE.

Torture-tested to dominate changeable conditions, this workhorse is mud-ready from winch to tail, including snorkeled intakes and Smart-Lok.



DEFENDER PRO (PACKAGE)



DEFENDER XT



DEFENDER X mr



DEFENDER MAXXT

DEFENDER PRO (PACKAGE)	DEFENDER XT	DEFENDER X mr		
HD8	HD10	HD10		
50 hp	82 hp	82 hp		
~	✓	~		
✓		Rear Differential with Turf Mode and Smart-Lok		
✓	✓	✓		
	Arched Double A-Arm Front Suspension / Arched TTA with External Sway Bar	~		
27" Maxxis Bighorn 2.0† Tires / 14" Cast Aluminum Wheels	27" Maxxis Bighorn 2.0 ¹ Tires / 30" ITP Cryptid Tires / 14" Cast Alumin Wheels			
120 x 62 x 76 in. (305 x 157.5 x 193 cm)	125.7 x 64 x 80 in. (319.4 x 162.5 x 203.2 cm)	129.4 x 67 x 82 in. (328.6 x 169.4 x 208.3 cm)		
11 in. (28 cm)	13" (33 cm)	15" (38.1 cm)		
✓	✓	✓		
✓	✓	✓		
~	Reinforced XT Seat Skin	Reinforced Seat Skin Featuring X Package Trims		
✓	√			
Protection: Integrated front steel bumper, Central HMW skid plate Full hard roof, 3-position full glass tilt up windshield with wiper/ washer kit, Clear rear deflect	up windshield with wiper/ XT Front Bumper, HMWPE Full Skid Plate, Full Hard Roof Heavy-Duty Front Steel Bumper, HMWPE Full Skid Plate, Full Hard Roof			
	✓	✓		
✓				
	✓			





Built to do more from Day 1, the new Defender Pro (Pick-Up) combines an industry-leading bed with the power to use it to capacity.

Defender Pro (Pick-Up) tackles the big jobs, and then some — not limited to farming, ranching or hunting, it's your workspace to tow, load, stack and finish the job.

CAPABLE

For work or recreation, Defender Pro (Pick-Up) has the storage capacity you need, along with a 27 sq ft 4.5 ftx6 ft (1.37 mx 1.82 m) bed that converts to a flat platform—with a mighty 1,000 lb (453.5 kg) of cargo capacity and 2,500 lb (1,134 kg) of towing to back it all up.

TOUGH

Handle any terrain with the toughness to go wherever you want: Maxxis Bighorn 2.0[†] 28" tires with 14" cast-aluminum wheels mean deep mud, rough trails, and even construction sites are driven with ease.

CLEVER

This is just the start: Standard features include lower storage 83.6 gal (316.5 L), removable side panels, arched front and rear suspension for added clearance, High Molecular Weight Polyethylene (HMWPE) skid plates and tough front steel bumper. You'll only have to worry about getting it clean again.

STRETCH YOUR EXPECTATIONS FOR WHAT CAN BE DONE



- · LOAD UP FOR ANY JOB
 · CARRY & MOUNT EQUIPMENT
- REMOVABLE SIDE PANELS
 AND TAILGATE





DEFENDER PRO DPS (PICK-UP)

MORE THAN JUST A PICK-UP.

From its full-sized cargo / flat bed to integrated storage and better capability in every way, Defender Pro (Pick-Up) hauls like no other Can-Am.



DEFENDER PRO DPS (PICK-UP)

	KEY FEATURES
	Rotax V-Twin Engine Options
	Horsepower
Engines	PRO-TORQ Transmission with Quick Response System (QRS), High Air Flow Ventilation and Electronic Drive Belt Protection
	Visco-Lok† QE
	Dynamic Power Steering (DPS)
Suspensions	Arched Double A-Arm / Arched TTA with External Sway Bar
Tires / Wheels	Tires / Wheels
	Length / Width / Height
	Ground Clearance
	Cargo Box Capacity
75 / 85	Estimated Dry Weight*
Sign	Wheelbase
Jimensions Capacities	Cargo Box Dimensions
_	Lower Storage
	Towing Capacity
	Payload Capacity
ιo.	Specific to Package
Features	1 Year Maintenance Free
Fea	Color Options

DEFENDER PRO DPS (PICK-UP)				
HD10				
82 hp				
✓				
✓				
✓				
✓				
28" Maxxis Bighorn 2.0† Tires /				
14" Cast-Aluminum Wheels				
153 x 64 x 78" (390 x 163 x 198 cm)				
13" (33 cm)				
1,000 lb (454 kg)				
1,833 lb (831.5 kg)				
115.5" (294 cm)				
72 x 54.5 x 10" (180.3 x 138.4 x 25.4 cm)				
Lower Storage 83.6 Gal (316.5 L)				
2,500 lb (1,134 kg)				
1,700 lb (771 kg)				
Rear Differential with Turf Mode, Multifunction Cargo Box with Lower Storage,				
VERSA-PRO† Bench Seat				
✓				
White				



The X3 wasn't built for leisurely drives in the countryside. It was built to make your eyeballs rattle in your head. From its aggressive future-forward design to its Ergo-Lok' cockpit that puts the driver at the heart of the vehicle, it's engineered to feast on any terrain with up to 195 turbocharged horsepower.

TURBO RR ENGINE

The new Turbo RR with 195 horsepower is a charttopper from Day 1 with more durable pistons, larger turbocharger and injectors, a less restrictive airbox, new intercooler and increased cooling capacity.

NEW SUSPENSION CALIBRATION ON 72" MODELS

Get up to 16 inches (40.6 cm) of ground clearance, with revised suspension that adds 1 inch (2.5 cm) of clearance to the Maverick X3* to stand tall over any challenge or terrain. Adjust the dampers to tune the ride for anywhere you roam.

*Except Maverick X3 X rs Turbo R

HIGHEST PERFORMANCE

Without question, you're looking at the highest performance machine — with up to 24 inches (55.9 cm) of suspension travel and 195HP. In addition, you can customized your perfect Maverick X3 with hundreds of available accessories.



THIS IS HOW HIGH WE'VE SET THE BAR... **AGAIN**

TURBO RR ENGINE

- STRONGER PISTONS, LARGER TURBO & INTERCOOLER
- REVISED COOLING

UP TO

(41 CM) **GROUND CLEARANCE**

ON 72" (183 CM) X-PACKAGE MODELS

AVAILABLE

TIRES

- · ON X3 X RC
- · AVAILABLE 15-IN BEADLOCK WHEELS

UP TO

[61 CM]

SUSPENSION TRAVEL

• INDUSTRY-LEADING TRAVEL FOR BEST COMFORT, IMPACT ABSORPTION

EXPLORE MAVERICK X3 LINEUP

P14-P15

MAVERICK X3 X ds

MOVE LIKE A FOX.

Front and rear FOX HPG shocks are serious hardware to help you harness all 195 horses on any terrain, anywhere—and do it all again tomorrow.

MAVERICK X3 X rs

BUILT FOR THE VICTORY LAP.

Run at the front of any pack with 195 horsepower, FOX 3.0 PODIUM RC2 with bypass suspension, Smart-Lok differential featuring Trail Activ mode—and up to 4 seats.





MAVERICK X3 X ds



MAVERICK X3 X rs



MAVERICK X3 MAX X rs

	KEY FEATURES	MAVERICK X3 X ds			
	Rotax Triple-Cylinder Engine Options	Turbo RR			
	Horsepower	195 hp			
Engines	Quick Response System (QRS) CVT with High Air Flow	/			
	Turbocharged Triple-Cylinder Engine, Liquid Cooled and High-Performance Air Filter	Integrated Intercooler			
	Selectable 2WD / 4WD with Visco-Lok Front Differential	Lockable Front Differential with Exclusive Smart-Lok* Technology. True 4-Mode Traction System: 2WD / 4WD with Front Diff. Lock / 4WD TRAIL ACTIV / 4WD TRAIL			
	High torque Tri-Mode Dynamic Power Steering (DPS)	·			
Suspensions	Double A-Arm Front Suspension / 4-Link Torsional Trailing-Arm X (TTX) Rear Suspension with Sway Bar	/			
	Front and Rear FOX 2.5 PODIUM Piggyback with QS3 Compression Adjustment Shocks	FOX† 2.5 PODIUM RC2† Piggyback			
	Suspension Travel	20" (50.8 cm) / 20" (50.8 cm)			
Tires / Wheels	Tires / Wheels	29" Maxxis Bighorn 2.0 [†] Tires			
Dimensions	Length / Width / Height	132 x 64 x 65.7 in. (335.3 x 162.5 x 166.9 cm)			
Dimer	Ground Clearance	14* (35.6 cm)			
	200 lb (91 kg) Rack Capacity with LinQ Quick-Attach System				
	Dual Phase 980 Steel Cage & Chassis	✓			
ures	RF Digitally Encoded Security System (D.E.S.S.™) with Start/ Stop button				
Features	Specific to Package	Integrated Front Bumper, HMWPE Full Skid Plate, Quarter Doors, Rear Tow Hook			
	Available in 4-Passenger Configuration	N/A			
	Color Options				

	MAVERICK X3 X rs
	Turbo RR
	195 hp
	~
	Integrated Intercooler
Lockable Fro	nt Differential with Exclusive Smart-Lok* Technology. True 4-Mode Traction System: 2WD / 4WD with Front Diff. Lock / 4WD TRAIL ACTIV / 4WD TRAIL
	✓
	✓
	FOX* 2.5 PODIUM RC2* Piggyback with Bypass / FOX* 3.0 PODIUM RC2* Piggyback with Bypass
	22" (55.9 cm) / 24" (61 cm)
30"	Maxxis Bighorn 2.0° Tires / 14" Cast Aluminum Wheels
	132 x 72.7 x 68.5 in. (335.3 x 184.7 x 174 cm)
	16" (40.6 cm)
	✓
	✓
	✓
	ont Bumper, Heavy-Duty HMWPE Full Skid Plate, Quarter Doors, oof, 4-Point Harness with Shoulder Pads, Rear Tow Hook

MAVERICK X3 X rc

FULL OF ALTITUDE.

Conquer the last mile with rock-specific Smart-Lok differential tuning, upgraded FOX 3.0 PODIUM RC2 with bypass shocks, winch and full protection for whoops and rocky ridges alike.



MAVERICK X3 X rc

MAVERICK X3 X rc
Turbo RR
195 hp
~
Integrated Intercooler
Lockable Front Differential with Exclusive Smart-Lok* Technology. True 4-Mode Traction System: 2WD / 4WD with Front Diff. Lock / 4WD ROCK / 4WD TRAIL
✓
Trophy Truck Inspired Arched Double A-Arm with Sway Bar
<u> </u>
OX1 2.5 PODIUM RC21 Piggyback with Bypass / FOX1 3.0 PODIUM RC21 Remote Reservoir with Bypass
22" (55.9 cm) / 24" (61 cm)
32" Maxxis Liberty Tires /
15" Cast Aluminum Beadlock Wheels
134.5 x 72.8 x 68.5 in.
(341.6 x 184.9 x 174 cm)
16" (40.6 cm)
✓
✓
✓
Front Bumper, Heavy-Duty HMWPE Full Skid Plate with Differential and Under Bumper Skid Plates, Quarter Doors, UHMWPE Rock Sliders, HMWPE Front and Rear Suspension Arm Protectors, Rear Tow Hook

N/A



COLOR CHART

Dazzling Blue

Mineral Grey, Mantra Green

Orange Crush



EVERYTHING YOU NEED IN A SIDE-BY-SIDE, AND THEN SOME

The Commander combines proven power and capability for off-road rides that go as far as you'll let them. With the 2-rider version, it's ready to earn your respect —without breaking a sweat.

EXPLORE COMMANDER DPS, XT AND LIMITED

COMMANDER DPS

STEER DOWN THE RIGHT PATH.

Tri-Mode Dynamic Power Steering (DPS) is what sets this model apart, with added comfort and control—especially in tight turns and on rough terrain.

COMMANDER XT

WELL EQUIPPED FROM DAY 1.

The right features, power, and price—the Commander XT has a best-in-class engine, versatile dual level cargo box, and all-day rider comfort as standard.

COLOR CHART



Squadron Green

Asphalt Gray



COMMANDER DPS



COMMANDER XT

	KEY FEATURES	COMMANDER DPS			
	Rotax V-Twin Engine Options	800R			
S	Horsepower	71 hp			
Suspensions Engines	Selectable 2WD / 4WD with Visco-Lok Front Differential	✓			
	Dynamic Power Steering (DPS)	✓			
	Double A-Arm Front Suspension / TTA Rear Suspension with Sway Bar	/			
	Front and Rear Twin Tube Gas Charged Shocks	✓			
Tires / Wheels	Tires / Wheels	27" Maxxis Bighorn 2.0† / 14" Cast Auminum Wheels			
	Length / Width / Height	118.3 x 61.2 x 72 in. (300.4 x 155.6 x 182.9 cm)			
<u></u>	Ground Clearance	11" (28 cm)			
Dimensions	600 lb (272 kg) Dual Level Cargo Box Capacity / 1,500 lb (680 kg) Towing Capacity				
	10 Gal (37.8 L) Fuel Capacity	→			
	Anti-Theft System (D.E.S.S.)	→			
Features	Protection	N/A			

COMMANDER XT
1000R
92 hp
✓
✓
27" Maxxis Bighorn 2.0" / 14" Cast Aluminum Wheels
120.2 × 62.5 × 72 in. (305.4 × 158.8 × 182.9 cm)
11" (28 cm)
→
─

Heavy-Duty Front Bumper, Mudguards, Bed Rails

Color Options

COMMANDER LIMITED

LOADED WITH POTENTIAL.


From its powerful Rotax engine to adjustable FOX 2.0 PODIUM QS3 shocks and full suite of standard features, the only thing limited is your free time.



COMMANDER LIMITED

COMMANDER LIMITED
1000R
92 hp
✓
✓
✓
FOX [†] 2.0 PODIUM Piggyback with QS3 [†] Compression Adjustment
27" Maxxis Bighorn 2.0 ¹ / 14" Cast Aluminum with Machined Finish Wheels
120.2 x 62.5 x 72 in. (305.4 x 158.8 x 182.9 cm)
11" (28 cm)
✓
✓
→

Heavy-Duty Front Bumper, Mudguards, Bed Rails, Half Windshield, Rear Net, Two-Piece Full Hard Roof



DESIGNED FROM THE RIDER DOWN TO SEE, DO, & CHALLENGE ANYTHING OFF-ROAD.







EVERYDAY EFFICIENT PERFORMANCE THAT NEVER SKIPS A BEAT

> UP TO HORSEPOWER

 EFFICIENT, **HARDWORKING** ROTAX ENGINES WITH 38 (450) OR 48 (570) HORSEPOWER

TOWING CAPACITY

· CAPABLE OF TOWING 1,300 LB (590 KG), FOR HAULING WITH EASE

RACK CAPACITY

- STEEL RACKS WITH LINQ QUICK-ATTACH SYSTEM FOR ACCESSORIES
- · COMBINED 360 LB [163 KG] RACK CAPACITY (FRONT: 120 LB (54 KG), REAR: 240 LB (109 KG))

You're looking at one of the toughest and most robust ATVs on the market. The Outlander 450/570 is proven to deliver when adventure's around the corner, the job gets harder than expected, or the hunt is calling. Get big abilities—and class-leading power—no matter which Rotax engine you choose.

TOUGH

Tough and reliable, the Can-Am Outlander 450/570 is a workhorse that's just as durable as you are and can be outfitted for nearly any use.

CAPABLE

Enjoy the confidence that comes with a heavy-duty vehicle capable of keeping up with your toughest days and delivering an enjoyable ride, every time.

DESIGN

Outlander is distinctly built from the rider down, from its controls to the seating position and chassis layout optimized for all-day comfort.



EXPLORE OUTLANDER 450/570 **LINEUP**

OUTLANDER

GET IT DONE FROM DAY 1.

Complete ride-anywhere versatility and cost-effective capability that carries your load—and then some.

OUTLANDER PRO

UNMATCHED ALL-TERRAIN PERFORMANCE


The Outlander PRO Package has been designed with one idea in mind: get the job done. It delivers more performance than you need to haul, tow and more. We won't say it will make work easy, but easier.

OUTLANDER DPS

HANDLES WITH EASE.

Equipped with Dynamic Power Steering (DPS) for a smoother ride and more confident handling in all riding conditions.

COLOR CHART





OUTLANDER





OUTLANDER MAX DPS

	KEY FEATURES	OUTLANDER	OUTLANDER PRO		OUTLANDER MAX DPS	
	Model	450	450	570	450	570
BS	Rotax Engine Options	450 Single Cylinder	450 Single Cylinder	650 V-Twin	450 Single Cylinder	570 V-Twin
	Horsepower	38 hp	38 hp	48 hp	38 hp	48 hp
Engines	Selectable 2WD / 4WD with Visco-Lok Front Differential	✓	~	✓	Visco-Lok QE	Visco-Lok QE
	Tri-Mode Dynamic Power Steering (DPS)	N/A	✓	✓	✓	✓
	Intelligent Throttle Control (iTC)	N/A	✓	✓	N/A	N/A
Suspensions	Double A-Arm Front Suspension / Torsional Trailing Arm Independent (TTI) Rear Suspension	✓	~	✓	✓	✓
Susp	Shocks	Oil	Oil	Oil	Oil	Oil
Wheels	Tires / Wheels	25" Carlisle [†] Trail Wolf Tires / 12" Steel Wheels	26" Carlisle† Trail Wolf Tires / 12-in. cast-steel	26" Carlisle† Trail Wolf Tires / 12-in. cast-steel	25" Carlisle† Trail Wolf Tires / 12" Steel Wheels	25" Carlisle [†] Trail Wolf Tires / 12" Steel Wheels
15 / 85	Length / Width / Height*	83 x 46 x 49 in. (211 x 116.8 x 124 cm)	83 x 46 x 49 in. (211 x 116.8 x 124 cm)	83 x 46 x 49 in. (211 x 116.8 x 124 cm)	83 x 46 x 49 in. (211 x 116.8 x 124 cm)	83 x 46 x 49 in. (211 x 116.8 x 124 cm)
Capacities	Rack Capacity: Front 120 lb (54.4 kg) Rear 240 lb (109 kg)	✓	✓	~	~	✓
50	1,300 lb (590 kg) Towing Capacity	✓	✓	✓	✓	~
	Intelligent throttle control (iTC)**	N/A	✓	✓	N/A	N/A
	Seat	Standard	Reinforced Seat Skin	Reinforced Seat Skin	Convertible Rack System (CRS)	Convertible Rack System (CRS)
	Anti-Theft System (D.E.S.S)	N/A	✓	✓	N/A	N/A
Features	Work Key (Programmable to 30km or 40km speed limit)	N/A	✓	✓	N/A	N/A
Feat	Winch	Prewired	Prewired	Prewired	Prewired	Prewired
	Available in 2 passenger configuration	N/A	N/A	N/A		~
	Color Options					

^{*}For 1-up only
**Includes riding modes on 570 and 650 PRO



The Outlander lineup is as diverse as riders like you. Any Outlander has the chops to take you farther than ever, but each model and package is geared to return even better capability: For hauling, mud riding, hunting, trails, and anywhere in between.

NEW SIDE PANELS

We examined and inspected every part to see if it could improve rider comfort, including the side panels, which are new this year to provide less heat soak, better engine ventilation, and noise isolation.

HORSEPOWER LEADERS

Cross shop any Outlander with the competition and you'll notice: We always have the most power. That's not a boast, that's engineering and design. It's power with reliability and ease-of-maintenance; a truly enjoyable ride with an unmistakeable soundtrack.

ADAPTABLE RIDING MODES

Standard on all 850 and 1000R engines, Intelligent Throttle Control (iTC) is what makes the Outlander and its Rotax engine so responsive and useful day-to-day. With adaptable riding modes, the iTC throttle-by-wire system ensures smooth power delivery via precise control.



REDESIGNED TO BE THE BEST, FROM THE RIDER DOWN

WIDE STANCE

· 2" (5.1 CM) ADDED WIDTH FOR BEST STABILITY

UP TO

HORSEPOWER

NEW ROTAX 1000R ENGINE

- MOST POWERFUL ATV ENGINE ON THE MARKET
- · ADAPTABLE RIDING MODES

(750KG) TOWING CAPACITY

- · 10% MORE THAN THE COMPETITION
- · TOW & HAUL WITH CAPABILITY TO SPARE

EXPLORE OUTLANDER LINEUP

P24-P25

OUTLANDER PRO

READY TO TAKE THE JOB.

Take command of unmatched all-terrain performance with the new 2019 ... Wider, revised suspension makes the most of legendary Rotax power and tows ... We won't say it will make work easy, but easier.

OUTLANDER XT

THE EXTRAS COME STANDARD.

More exterior protection, upgraded bumpers and winch ensure it's factory-fit for your next adventure.





OUTLANDER PRO





OULANDER XT			
650 V-Twin	1000R V-Twin		
62 hp	91 hp		
Visco-Lok QE	Visco-Lok QE		
✓	✓		
✓	✓		
Oil	Oil		
26" ITP¹ Terracross Tires / 14" Cast Aluminum Wheels	26" ITP¹ Terracross Tires / 14" Cast Aluminum Wheels		
86 x 48 x 49.5 in. (218.4 x 121,9 x 126 cm)	86 x 48 x 49.5 in. (218.4 x 121,9 x 126 cm)		
✓	~		
✓	✓		
Standard	Standard		
N/A	✓		
N/A	N/A		
3,000 lb (1,361 kg) WARN† Winch with Roller Fairlead	3,000 lb (1,361 kg) WARN† Winch with Roller Fairlead		
✓	N/A		
Heavy-Duty Front and Rear Bumpers	Heavy-Duty Front and Rear Bumpers		
Handlebar Wind Deflectors, Mudguards	Handlebar Wind Deflectors, Mudguard		
✓	✓		

(Max only)

	KEY FEATURES	OUTLANDER PRO	
Engines	Rotax Engine Options	650 V-Twin	
	Horsepower	62 hp	
	Selectable 2WD / 4WD with Visco-Lok Front Differential	✓	
	Tri-Mode Dynamic Power Steering (DPS)	N/A	
Tires / Suspensions Wheels	Arched Double A-Arm Front Suspension / Torsional Trailing Arm Independent (TTI) Rear Suspension, Added Front Sway Bar	✓	
	Shocks	Oil	
	Tires / Wheels	26" Carlisle [†] ACT Radial Tires / 12" Steel Wheels	
Dimensions	Length / Width / Height	86 x 48 x 49.5 in. (218.4 x 121,9 x 126 cm)	
	Rack Capacity: Front 100 lb (45 kg) Rear 200 lb (90 kg)	/	
	1,650 lb (750 kg) Towing Capacity		
	Seat	Reinforced skin	
	Intelligent Throttle Control (iTC)	✓	
	Work key (programmable to 30km or 40km speed limit)	✓	
	Winch	Prewired	
ures	Available in 2 passenger configuration	N/A	
Features	Bumpers	N/A	
	Protection	NA	
	Anti-Theft System (D.E.S.S.)	✓	
	Color Options		

OUTLANDER MAX LIMITED

FULLY-LOADED FROM THE GET-GO.


Supreme capability, style and versatility on top of the powerful 1000R Rotax engine. Handle weekend-long 2-up journeys and any conditions along the way.



OUTL	.ANDER	MAXL	IMITED
------	--------	------	--------

OUTLANDER MAX LIMITED			
1000R V-Twin			
91 hp			
Visco-Lok QE			
✓			
~			
FOX† 1.5 PODIUM† QS3			
27" Maxxis Bighorn 2.0 Tires / 14" Cast Aluminum Wheels			
94 x 48 x 53 in. (238.8 x 121.9 x 135 cm)			
~			
✓			
Convertible Rack System (CRS)			
✓			
N/A			
3,000 lb (1,361 kg) WARN¹ Winch with Roller Fairlead			
✓			
Heavy-Duty Front and Rear Bumpers			
Handlebar Wind Deflectors, Mudguards			
✓			







From the age of 6 and up, the Can-Am DS lineup teaches young riders that they don't have to have a driver's license to experience world-class design, quality, and reliability.



EXPLORE YOUTH LINEUP

DS 90 X

LOOKS TOUGH, IS TOUGH.

Long-travel suspension for the DS 90 X improves the ride and enhances race-inspired capability for enthusiastic riders aged 10 and up.

DS 250

ENTRY TO ANOTHER LEVEL.

For riders aged 14 and up, the DS 250 pairs a liquid-cooled 249.4cc engine, CVT and larger chassis as the last step before an adult-sized ATV.







	25 55 %		2020	
	KEY FEATURES	DS 90 X	DS 250	
Suspensions Engines	Engine	90	250	
	Starting Driving Age	10 and Up	14 and Up	
	A-Arm Independent Front Suspension / Swingarm Double A-Arm Front Suspension Rear Suspension		Double A-Arm Front Suspension	
	Shocks	HPG Piggyback	Oil	
Tires / Wheels	Tires / Wheels	Front Tires: Kenda Claw 20 x 6 x 10 in. Rear Tires: Kenda Claw 18 x 10.5 x 8 in. / 8" Aluminum Wheels	Front tires: Kenda 22 x 7 x 10 in. Rear tires: Kenda 20 x 11 x 9 in. / Front: 10" Silver Steel Wheels Rear: 9" Silver Steel Wheels	
Features	Length / Width / Height	59.8 x 35.6 x 36.8 in. (152 x 90.5 x 93.5 cm)	72 X 40.5 X 43.5 in. (183 X 103 X 110.5 cm)	
	Color Options	Deep Black & Can-Am Red	Can-Am Red	



EXCLUSIVE CAN-AM FEATURES





ROTAX ENGINE

We start building every Can-Am ATV with a Rotax engine featuring best-in-class power and industry-leading power-to-weight ratio. The whole ATV is designed to work with this power, to give you a true performance edge. That's true for all of our signature engines.



TTI SUSPENSION

The only independent rear suspension that eliminates scrub and camber changes, the wheels pivot up and down rather than in a butterfly motion. This ensures the vehicle moves only in the direction you point it. Reconfigured for improved traction and optimal transfer of power to the ground.



DPS

Dynamic Power Steering (DPS) improves steering feel in slow-speed working situations and in more technical terrain. It's also designed to offer less assistance at high speeds and more assistance at low speeds.



ERGONOMICS

We don't just put a seat onto an excellently performing machine, we design the entire vehicle around you. The seat position and cushion are designed to maximize comfort and offer an optimal position for the rider so you can keep going on the trail!



LinQ

The exclusive LinQ quick-attach system that enables you to add and remove Can-Am accessories in just seconds, including trunk boxes, modular bags, rack extensions and more.



VISCO-LOK

Our exclusive progressive auto-locking front differential constantly monitors front-wheel speed. If it detects one wheel spinning faster than the other, it sends morepower to the wheel with better traction. The rider doesn't have to do anything to activate it. And the Visco-Lok auto-locking front differential comes without a speed limiter.

EXPLORE AN ENTIRE WORLD OF ADVENTURE WITH ALL OF OUR BRP PRODUCTS. BRP.COM









SKİ-doo. Lynx. Ser-200. Evinrude. Rotax. Can-am.

©2019 Bombardier Recreational Products are distributed in the U.S.A. by BRP US Inc. All rights reserved. "W. ® and the BRP logo are registered trademarks of BRP or its affiliates. Visco-Lok is a trademark of GKN Viscodrive GmbH. †All other trademarks are the property of their respective owners. BRP reserves the right at any time to discontinue or change specifications, price, design, features, models or equipment without incurring any obligation. Some models depicted may include optional equipment. BRP highly recommends that all any second selectives take a training fourier faming information, see your dealed. (BOI) 887-2887 of the Canada Safety Council at 1-161-7891-2812. Never carry passengers on any AIV not specification and AIV by designed by the manufacturer for such seasons speed and be particularly careful on difficult terrain. All Carry and the models are Category of ATVs (General Use Models) intended for rescreational and/for utility use by an operator age 16 and older, except for those designated as T14. Make sure that all laws, regulations, and BRP's warnings/recommendations for AIV passengers are respected. SSV operator must be at least 16 years old gainst the backrest. Fasten lateral net and sear belt at all times, BRP urges you to "TREAD LIGHTLy" on public and private lands. ATVs and SSVs can be hazardous to operator. Some passenger and other protective clothing. Read the Operator's Guide and washer, the safety DVD before driving. Never ride on paved surfaces or public roads and never engage in stunt driving. Always remember that rights and source on Canada.

Can-am.

CAN-AMOFFROAD.COM











